ELSEVIER

Journal of Statistical Planning and Inference 106 (2002) 517–519

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 106 (2002)*

Afsarinejad, K. and A.S. Hedayat, Repeated measurements designs for a model with self and simple mixed carryover effects	(1–2)	449–459
Bennett, F.E., G. Ge, H. Zhang and L. Zhu, Holey Steiner pentagon systems and related designs	(1–2)	353–373
Chai, F.S., R. Mukerjee and C.-y. Suen, Further results on orthogonal array plus one run plans	(1–2)	287–301
Chaudhry, G.R., M. Greig and J. Seberry, On the $(v, 5, \lambda)$-family of Bhaskar Rao designs	(1–2)	303–327
Chen, K. and L. Zhu, Existence of $V(m, t)$ vectors	(1–2)	461–471
Dean, A.M., W.I. Notz and L.-J. Kao, A bound for efficiency in multiple response designs	(1–2)	235–244
Denny, P.C. and R. Mathon, A census of $t-(t+8, t+2, 4)$ designs, $2 \leqslant t \leqslant 4$	(1–2)	5– 19
Dinitz, J.H. and N. Shalaby, Block disjoint difference families for Steiner triple systems: $v \equiv 3 \bmod 6$	(1–2)	77– 86
Fuji-Hara, R., S. Kuriki, Y. Miao and S. Shinohara, Balanced nested designs and balanced n-ary designs	(1–2)	57– 67
Fuji-Hara, R., Y. Miao and S. Shinohara, Complete sets of disjoint difference families and their applications	(1–2)	87–103
Fujikoshi, Y., K. Futagami, J. Fukunaga and T. Hirata, An extension of the product-parts replacement problem	(1–2)	473–484
Fukunaga, J., *see* Y. Fujikoshi	(1–2)	473–484
Furino, S., S. Kageyama, A.C.H. Ling, Y. Miao and J. Yin, Frames with block size four and index three	(1–2)	117–124
Futagami, K., *see* Y. Fujikoshi	(1–2)	473–484
Ge, G., *see* F.E. Bennett	(1–2)	353–373
Georgiou, S., C. Koukouvinos, M. Mitrouli and J. Seberry, Necessary and sufficient conditions for three and four variable orthogonal designs in order 36	(1–2)	329–352
Greig, M., *see* G.R. Chaudhry	(1–2)	303–327
Gupta, S., B. Hosmane, M. Singh and R. Singh, Optimal allocation of patients in titration to fixed dose trials	(1–2)	215–223
Gupta, V.K., D.V.V. Ramana and R. Parsad, Weighted A-optimal block designs for comparing test treatments with controls with unequal precision	(1–2)	159–175
Hamada, N. and T. Helleseth, The nonexistence of ternary [97, 6, 63] codes	(1–2)	485–507
Hedayat, A.S., *see* K. Afsarinejad	(1–2)	449–459
Helleseth, T., *see* N. Hamada	(1–2)	485–507
Hering, F. and S. Mejza, An incomplete split-block design generated by GDPBIBD(2)s	(1–2)	125–134
Hirata, T., *see* Y. Fujikoshi	(1–2)	473–484
Hirotsu, C., On an optimal design for an isotonic inference	(1–2)	205–213
Hishida, T. and M. Jimbo, Constructions of balanced incomplete block designs with nested rows and columns	(1–2)	47– 56

* The issue number is given in front of page number.

Elsevier Science B.V.
PII: S0378-3758(02)00345-2

Hosmane, B., *see* S. Gupta	(1–2)	215–223
Jacroux, M., On the determination and construction of *A*- and *MV*-optimal block designs for comparing a set of test treatments to a set of standard treatments	(1–2)	191–204
Jimbo, M., *see* T. Hishida	(1–2)	47– 56
Jimbo, M., *see* K. Ozawa	(1–2)	135–157
Jin, Y.-L., S. Tazawa and T. Shirakura, Enumeration of connected graphs with cut vertices	(1–2)	409–418
Kageyama, S. and T. Shirakura, Preface	(1–2)	3– 4
Kageyama, S., *see* T. Shimata	(1–2)	31– 37
Kageyama, S., *see* K. Sinha	(1–2)	39– 46
Kageyama, S., *see* S. Furino	(1–2)	117–124
Kageyama, S., *see* K. Ozawa	(1–2)	135–157
Kao, L.-J., *see* A.M. Dean	(1–2)	235–244
Koukouvinos, C., *see* S. Georgiou	(1–2)	329–352
Kuriki, S., *see* R. Fuji-Hara	(1–2)	57– 67
Kuwada, M., Norm of alias matrices for balanced fractional 2^m factorial designs when interesting factorial effects are not aliased with effects not of interest in estimation	(1–2)	271–286
Lin, W.-C. and J. Stufken, Strongly linear trend-free block designs and 1-factors of representative graphs	(1–2)	375–386
Lindner, C.C. and A. Rosa, The metamorphosis of λ-fold block designs with block size four into λ-fold triple systems	(1–2)	69– 76
Ling, A.C.H., *see* S. Furino	(1–2)	117–124
Ma, W., *see* S.-G. Wang	(1–2)	225–233
Majumdar, D. and R.J. Martin, Finding optimal designs in the presence of trends	(1–2)	177–190
Martin, R.J., *see* D. Majumdar	(1–2)	177–190
Mathon, R., *see* P.C. Denny	(1–2)	5– 19
Mejza, S., *see* F. Hering	(1–2)	125–134
Mejza, S., *see* K. Ozawa	(1–2)	135–157
Miao, Y., *see* R. Fuji-Hara	(1–2)	57– 67
Miao, Y., *see* R. Fuji-Hara	(1–2)	87–103
Miao, Y., *see* S. Furino	(1–2)	117–124
Mishima, M., Cyclic Mendelsohn triple systems with a cyclic resolution or a cyclic almost resolution	(1–2)	105–115
Mitrouli, M., *see* S. Georgiou	(1–2)	329–352
Mohácsy, H. and D.K. Ray-Chaudhuri, Candelabra systems and designs	(1–2)	419–448
Morgan, J.P. and S.K. Srivastav, The completely symmetric designs with blocksize three	(1–2)	21– 30
Mukerjee, R., *see* F.S. Chai	(1–2)	287–301
Notz, W.I., *see* A.M. Dean	(1–2)	235–244
Ohtomo, M. and F. Tamari, On relative prime number in a sequence of positive integers	(1–2)	509–515
Ozawa, K., M. Jimbo, S. Kageyama and S. Mejza, Optimality and constructions of incomplete split-block designs	(1–2)	135–157
Parsad, R., *see* V.K. Gupta	(1–2)	159–175
Prvan, T. and D.J. Street, An annotated bibliography of application papers using certain classes of fractional factorial and related designs	(1–2)	245–269
Ramana, D.V.V., *see* V.K. Gupta	(1–2)	159–175
Ray-Chaudhuri, D.K., *see* H. Mohácsy	(1–2)	419–448
Rosa, A., *see* C.C. Lindner	(1–2)	69– 76
Seberry, J., *see* G.R. Chaudhry	(1–2)	303–327
Seberry, J., *see* S. Georgiou	(1–2)	329–352
Shalaby, N., *see* J.H. Dinitz	(1–2)	77– 86

Shimata, T. and S. Kageyama, Symmetry of a group divisible design with $r = \lambda_1 + 1$	(1–2)	31– 37
Shinohara, S., *see* R. Fuji-Hara	(1–2)	57– 67
Shinohara, S., *see* R. Fuji-Hara	(1–2)	87–103
Shirakura, T., *see* S. Kageyama	(1–2)	3– 4
Shirakura, T., *see* Y.-L. Jin	(1–2)	409–418
Singh, M., *see* S. Gupta	(1–2)	215–223
Singh, M.K., *see* K. Sinha	(1–2)	39– 46
Singh, R., *see* S. Gupta	(1–2)	215–223
Singh, R.S., *see* K. Sinha	(1–2)	39– 46
Sinha, K., M.K. Singh, S. Kageyama and R.S. Singh, Some series of rectangular designs	(1–2)	39– 46
Srivastav, S.K., *see* J.P. Morgan	(1–2)	21– 30
Street, D.J., *see* T. Prvan	(1–2)	245–269
Stufken, J., *see* W.-C. Lin	(1–2)	375–386
Suen, C.-y., *see* F.S. Chai	(1–2)	287–301
Tamari, F., *see* M. Ohtomo	(1–2)	509–515
Tazawa, S., *see* Y.-L. Jin	(1–2)	409–418
Wang, S.-G. and W. Ma, On exact tests of linear hypothesis in linear models with nested error structure	(1–2)	225–233
Yin, J., *see* S. Furino	(1–2)	117–124
Yin, J., *see* S. Zhang	(1–2)	387–408
Zhang, H., *see* F.E. Bennett	(1–2)	353–373
Zhang, S. and J. Yin, Packing of K_v with certain graphs of five vertices	(1–2)	387–408
Zhu, L., *see* F.E. Bennett	(1–2)	353–373
Zhu, L., *see* K. Chen	(1–2)	461–471